

## **IN THE CLAIMS**

Please amend the claims according to the following listing of claims and substitute it for all prior versions and listings of claims in the application.

1. (currently amended) A cream for ~~therapy~~ a treatment of dermatitis characterized in that ~~it the cream~~ contains extracts drawn from ~~one, two or more plants selected from the group consisting of~~ Lightyellow Sophora Root (*Sophora Flavescens* Ait.), ~~Turneric,~~ Magnolia Bark, Moutan Bark, and Isatis Leaf (*Isatis tinctoria* L.), and Borneo Camphor Tree (*Dryobalanops aromatica* Gaertn. f.).

2. (currently amended) The cream for ~~therapy~~ the treatment of dermatitis described in claim 1 characterized in that an auxiliary agent is added to the said extracts drawn from plants.

3. (currently amended) The cream for ~~therapy~~ the treatment described in claim ~~1~~ 2 characterized in that said auxiliary agent includes an auxiliary extract drawn from a plant, an accelerator for skin permeation, an accelerator for keratinization, mutton oil, alcohol and white soft paraffin.

4. (currently amended) The cream for ~~therapy~~ the treatment of dermatitis described in claim 3 characterized in that said auxiliary extract drawn from a plant contains extracts drawn from one, two or more selected from the group of Baikal Skullcap (*Scutellaria baikcalensis* Georgi.), Amur Cork Tree (*Phellodendron amurense* Rupr.), Angelicae Dahuricae Root (*Angelica dahurica* Benth. et Hook.), Lemon (*Citrus Limonum*), Smartweed (*polygonum cuspidatum* Sieb. et Zucc.) and Licorice (*Glycyrrhiza uralensis* Fisch.).

5. (currently amended) The cream for ~~therapy~~ the treatment of dermatitis described

in claim 3 characterized in that said ~~accelerating agent~~ accelerator for skin permeation contains one, two or more selected from the group of Cnidii Rhizoma (Ligusticum chuanxiong Hort), Japanese Angelica Root (Angelica sinensis (Olive) Diels.) and dimethylsulfoxide.

6. (currently amended) The cream for ~~therapy~~ the treatment of dermatitis described in claim 3 characterized in that said ~~accelerating agent~~ accelerator for keratinization contains one or two selected from the group of salicylic acid and resorcinol.

7. (currently amended) The cream for ~~therapy~~ the treatment of dermatitis described in claim 3 characterized in that the volume ratios of the extracts drawn from plants: accelerating agent for skin permeation: accelerating agent for keratinization in said auxiliary agent are 53 to 89 %: 8 to 38%: 6 to 10%.

8. (currently amended) The cream for ~~therapy~~ the treatment of dermatitis described in claim 2 characterized in that said auxiliary agent includes an auxiliary extract drawn from a plant, accelerator for skin permeation, accelerator for keratinization, mutton oil, alcohol and white soft paraffin.

9. (currently amended) A cream for ~~therapy~~ the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (Sophora flavescens Ait.), 2.7 to 3.3%; Turmeric (Curcuma aromatica Salisb.), 1.8 to 2.2%; Magnolia Bark (Magnolia officinalis Rehd. Et. Wils.), 1.8 to 2.2%; Moutan Bark (Paeonia suffruticosa Andr.), 1.8 to 2.2%; Isatis Leaf (Isatis tinctoria L.), 0.9 to 1.1%; Borneo Camphor Tree (Dryobalanops aromatica Gaertn. f.), 0.9 to 1.1%; Baikal Skullcap (Scutellaria baicalensis Georgi.), 1.8 to 2.2%; Amur Cork Tree (Phellodendron

amurense Rupr.), 1.8 to 2.2%; Angelicae Dahuricae Root (Angelica dahurica Benth. et Hook.), 0.9 to 1.1%; Lemon (Citrus Limonum), 0 to 3%; Smartweed (polygonum cuspidatum Sieb. et Zucc), 0 to 1.1%; Licorice (Glycyrrhiza uralensis Fishch.), 0 to 0.55%; Cnidii Rhizoma (Ligusticum chuanxiong Hort), 0.45 to 1.1%; Japanese Angelica Root (Angelica sinensis (Olive) Diels.), 0 to 0.55%; salicylic acid, 0.45 to 0.55%; resorcinol, 0.45 to 0.55%; mutton oil, 2.7 to 3.3%; alcohol, 2.7 to 3.3%; and white soft paraffin, 63 to 78%.

10. (currently amended) A cream for ~~therapy~~ the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (Sophora flavescens Ait.), 3%; Turmeric (Curcuma aromatica Salisb.), 2%; Magnolia Bark (Magnolia officinalis Rehd. Et. Wils.), 2%; Moutan Bark (Paeonia suffruticosa Andr.), 2%; Isatis Leaf (Isatis tinctoria L.), 1%; Borneo Camphor Tree (Dryobalanops aromatica Gaertn. f.), 1%; Baikal Skullcap (Scutellaria baikcalensis Georgi.), 2%; Amur Cork Tree (Phellodendron amurense Rupr.), 2%; Angelicae Dahuricae Root (Angelica dahurica Benth. Et Hook.), 1%; Lemon (Citrus Limonum), 3%; Smartweed (polygonum cuspidatum Sieb. Et Zucc), 1%; Licorice (Glycyrrhiza uralensis Fishch.), 0.5%; Cnidii Rhizoma (Ligusticum chuanxiong Hort), 0.5%; Japanese Angelica Root (Angelica sinensis (Olive) Diels.), 0.5%; salicylic acid, 0.5%; resorcinol, 0.5%; mutton oil, 3%; alcohol, 3%; and white soft paraffin, 70.5%.

11. (currently amended) A cream for ~~therapy~~ the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (Sophora flavescens Ait.), 2.7 to 3.3%; Turmeric (Curcuma aromatica Salisb.), 1.8

to 2.2%; Magnolia Bark (Magnolia officinalis Rehd. et. Wils.), 1.8 to 2.2%; Moutan Bark (Paeonia suffruticosa Andr.), 1.8 to 2.2%; Isatis Leaf (Isatis tinctoria L.), 0.9 to 1.1%; Borneo Camphor Tree (Dryobalanops aromatica Gaertn. f.), 0.9 to 1.1%; Baikal Skullcap (Scutellaria baikcalensis Georgi.), 1.8 to 2.2%; Amur Cork Tree (Phellodendron amurense Rupr.), 1.8 to 2.2%; Angelicae Dahuricae Root (Angelica dahurica Benth. et. Hook.), 0.9 to 1.1%; Lemon (Citrus Limonum), 0 to 3%; Smartweed (polygonum cuspidatum Sieb. et Zucc.), 0 to 1.1%; Licorice (Glycyrrhiza uralensis Fishch.), 0 to 0.55%; dimethylsulfoxide, 4.5 to 5.5%; salicylic acid, 0.45 to 0.55%; resorcinol, 0.45 to 0.55%; mutton oil, 2.7 to 3.3%; alcohol, 2.7 to 3.3%; and white soft paraffin, 60 to 73%.

12. (currently amended) A cream for ~~therapy~~ the treatment of dermatitis characterized in that the volume ratios of respective ingredients are Lightyellow Sophora Root (Sophora flavescens Ait.), 3%; Turmeric (Curcuma aromatica Salisb.), 2%; Magnolia Bark (Magnolia officinalis Rehd. et. Wils.), 2%; Moutan Bark (Paeonia suffruticosa Andr.), 2%; Isatis Leaf (Isatis tinctoria L.), 1%; Borneo Camphor Tree (Dryobalanops aromatica Gaertn. f.), 1%; Baikal Skullcap (Scutellaria baikcalensis Georgi.), 2%; Amur Cork Tree (Phellodendron amurense Rupr.), 2%; Angelicae Dahuricae Root (Angelica dahurica Benth. et. Hook.), 1%; Lemon (Citrus Limonum), 3%; Smartweed (polygonum cuspidatum Sieb. et Zucc.), 1%; Licorice (Glycyrrhiza uralensis Fishch.), 0.5%; dimethylsulfoxide, 5%; salicylic acid, 0.5%; resorcinol, 0.5%; mutton oil, 3%; alcohol, 3%; and white soft paraffin, 66.5%.